Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED
		012131	B. WING		05/43/2045
NAME OF P	ROVIDER OR SUPPLIER		DRESS, CITY, STA		05/13/2015
VIBRA HOSPITAL OF NORTHWESTERN INDIANA 9509 GEORGIA ST					
CROWN POINT, IN 46307					
(X4) ID PREFIX TAG	(EACH DEFICIENC)	Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE COMPLETE
S 000	000 INITIAL COMMENTS		S 000		
	This visit was for inve				
	Complaint Number: IN00159143 Unsubstantiated: lack of sufficient evidence.				
	Date: 5/13/15				
	Facility Number: 012131				
	Vibra Hospital of Northwestern Indiana is in compliance with 410 IAC 15-1.5-1, Dietetic service and 410 IAC 15-1.5-6, Nursing services, Indiana Hospital Licensure Rules.				
	QA: cjl 06/09/15				

Indiana State Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE